

1.

# SAFETY DATA SHEET Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

IDENTIFICATION	
Product Name	Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non- pressurized)
Other Names	AC-100, AC-250, Potassium Acetate, Class K
Recommended use of the chemical an restrictions on use	ld
Identified uses	Fire Extinguishing Agent
Restrictions on use	Do not use on electrically energized equipment. Consult applicable fire protection codes.
Company Identification	Badger Fire Protection
	944 Glenwood Station Lane, Suite 303 Charlottesville, VA 22901 USA
Customer Information Number Emergency Telephone Number	(434)-964-3200
CHEMTREC Number	(800) 424-9300 (703) 527-3887 (International)
Issue Date	April 10, 2015
Supersedes Date	February 9, 2015
Safety Data Sheet prepared in accordance with C Harmonized System of Classification and Labelling	OSHA's Hazard Communication Standard (29 CFR 1910.1200)and the Globally g of Chemicals (GHS)

# 2. HAZARD IDENTIFICATION

This SDS covers the product listed above as sold in pressurized and non-pressurized containers. GHS classifications for both forms are listed below.

# **GHS Classification – Pressurized**

# Hazard Classification

Gas under pressure – Compressed gas

Label Elements Hazard Symbols



Signal Word: Warning

# Hazard Statements

Contents under pressure; may explode if heated.



# 2. HAZARD IDENTIFICATION

Precautionary Statements Prevention None Response None Storage Protect from sunlight. Store in well-ventilated place. Disposal None

# **GHS Classification: Non - pressurized**

#### **Hazard Classification**

This product is classified as not hazardous in accordance with the Globally Harmonized System of Classification and Labelling (GHS).

#### Label Elements Hazard Symbols None

Signal Word: None

#### Hazard Statements None

# **Precautionary Statements**

Prevention None Response None Storage None Disposal None

# **Other Hazards**

Possible electrocution hazard if used on electrically energized equipment.

# **Specific Concentration Limits**

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	0%
Acute dermal toxicity	0%
Acute inhalation toxicity	0%
Acute aquatic toxicity	0%



# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

CAS Number	Concentration
127-08-2	40 - 50%
7732-18-5	50 - 60%
	127-08-2

Note: Pressurized product uses nitrogen or compressed air as the expellant.

### 4. FIRST- AID MEASURES

# Description of necessary first-aid measures

#### Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

#### Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

#### Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

#### Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

# Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

#### Indication of immediate medical attention and special treatment needed

Notes to Physicians

Treat symptomatically.

# 5. FIRE - FIGHTING MEASURES

# Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved. Keep pressurized containers and surroundings cool with water spray as they may rupture or burst in the heat of a fire.

# Specific hazards arising from the chemical

Pressurized containers may explode in heat of fire.

# **Special Protective Actions for Fire-Fighters**

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.



# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact. Remove leaking container to a safe place. Ventilate the area.

# **Environmental Precautions**

Prevent large quantities of the material from entering drains or watercourses.

#### Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material. Transfer into suitable containers for recovery or disposal.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

#### Conditions for safe storage

Pressurized containers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or roll pressurized containers. Do not drop pressurized containers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the pressurized or plastic container. Store pressurized and plastic containers away from high heat sources. Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure limits are listed below, if they exist.

# Potassium Acetate

None

# Appropriate engineering controls

Use with adequate ventilation. If this product is used in a pressurized system, there should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

# Individual protection measures

# **Respiratory Protection**

Not normally required. In oxygen deficient atmospheres, use a self contained breathing apparatus, as an air purifying respirator will not provide protection.

### Skin Protection Gloves Eye/Face Protection Chemical goggles or safety glasses with side shields. Body Protection Normal work wear.



# SAFETY DATA SHEET Wet Chemical Solution

(Fire Extinguishing Agent, Pressurized and Non-pressurized)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Non- Pressurized Appearance

• •	
Physical State	Liquid
Color	Clear or blue
Odor	Odorless
Odor Threshold	Not applicable
рН	No data available
Specific Gravity	1.19-1.24
Boiling Range/Point (°C/F)	100/212
Melting Point (°C/F)	No data available
Flash Point (PMCC) (°C/F)	Not flammable
Vapor Pressure	Not applicable
Evaporation Rate (BuAc=1)	No data available
Solubility in Water	Soluble
Vapor Density (Air = 1)	Not applicable
VOC (g/l)	None
VOC (%)	None
Partition coefficient (n-	No data available
octanol/water)	Nie dete euslichte
	No data available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not applicable
Upper explosive limit	Not applicable
Lower explosive limit	Not applicable
Flammability (solid, gas)	Not applicable
Expellant - Nitrogen	
Appearance	
Physical State	Compressed gas
Color	Colorless
Odar	Nono

Filysical State	Complessed gas
Color	Colorless
Odor	None
Odor Threshold	No data available
рН	Not applicable
Specific Gravity	0.075 lb/ft <sup>3</sup> @70°F as vapor
Boiling Range/Point (°C/F)	-196°C/-321 °F
Melting Point (°C/F)	No data available
Flash Point (PMCC) (°C/F)	Not flammable
Vapor Pressure	No data available
Evaporation Rate (BuAc=1)	No data available
Solubility in Water	No data available
Vapor Density (Air = 1)	Not applicable
VOC (g/l)	None
VOC (%)	None
Partition coefficient (n-	No data available
octanol/water)	
Viscosity	Not applicable
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Upper explosive limit	Not explosive
	•



#### PHYSICAL AND CHEMICAL PROPERTIES 9.

Lower explosive limit	Not explosive
Flammability (solid, gas)	Not flammable

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Pressurized containers may rupture or explode if exposed to heat.

#### **Chemical Stability**

Stable under normal conditions.

# Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### **Conditions to Avoid**

Exposure to direct sunlight - contact with incompatible materials

**Incompatible Materials** Strong oxidizing agents - water reactive materials

#### **Hazardous Decomposition Products**

Oxides of carbon - potassium

#### 11. **TOXICOLOGICAL INFORMATION**

#### **Acute Toxicity**

Potassium Acetate Oral LD50 (Rat) 3250 mg/kg Dermal LD50 (Rabbit) >20,000 mg/kg (analogous compound) Inhalation LC50(rat) >5.6 mg/l (analogous compound) Nitrogen Simple asphyxiant

# Specific Target Organ Toxicity (STOT) - single exposure

Potassium Acetate: No data available Nitrogen: Exposure to nitrogen gas at high concentrations can cause suffocation by reducing oxygen available for breathing. Breathing very high concentrations can cause dizziness, shortness of breath, unconsciousness or asphyxiation.

Specific Target Organ Toxicity (STOT) - repeat exposure Potassium Acetate: No data available

Serious Eye damage/Irritation Potassium Acetate: Not irritating (rabbit)

# **Skin Corrosion/Irritation**

Potassium Acetate Not irritating (rabbit)



# 11. TOXICOLOGICAL INFORMATION

# **Respiratory or Skin Sensitization**

<u>Potassium Acetate:</u> Available data indicates this component is not expected to cause skin sensitization. No data available for respiratory sensitization.

#### Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

#### Germ Cell Mutagenicity

Potassium Acetate: Available data indicates this component is not expected to be mutagenic.

#### Reproductive Toxicity

<u>Potassium Acetate:</u> Available data indicates this component is not expected to cause reproductive toxicity or birth defects.

#### Aspiration Hazard

Not an aspiration hazard.

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Potassium Acetate: LC50 Zebrafish 1497 mg/l 96h EC50 Daphnia magna 420 mg/l 48h EC50 Mann diatom 500 mg/l 72hr

#### Mobility in soil

No relevant studies identified.

### Persistence/Degradability

No relevant studies identified.

# Bioaccumulative Potential

No relevant studies identified.

#### Other adverse effects

No relevant studies identified.

# 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of container in accordance with all applicable local and national regulations.

# 14. TRANSPORT INFORMATION

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment. Specific volumes, pressures or hardware configurations containing such materials can dictate various different hazard classifications for transportation and labelling requirements. Under Federal Regulations only trained and qualified individuals are permitted to label and ship products



# 14. TRANSPORT INFORMATION

following the applicable Department of Transportation (DOT), Federal Aviation Administration (FAA), Transport Canada (TC), International Maritime Dangerous Goods (IMDG) or International Air Transport Association (IATA) requirements.

# 15. **REGULATORY INFORMATION**

# United States TSCA Inventory

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

#### **Canada DSL Inventory**

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

# SARA Title III Sect. 311/312 Categorization: Pressurized Pressure hazard

SARA Title III Sect. 311/312 Categorization: Non-pressurized None

### SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

# 16. OTHER INFORMATION

# NFPA Ratings

NFPA Code for Health - 1 NFPA Code for Flammability - 0 NFPA Code for Reactivity - 0 NFPA Code for Special Hazards - None

# **HMIS Ratings**

HMIS Code for Health - 1 HMIS Code for Flammability - 0 HMIS Code for Physical Hazard - 0 HMIS Code for Personal Protection - See Section 8 \*Chronic

# Legend

ACGIH: American Conference of Governmental Industrial Hygienists CAS#: Chemical Abstracts Service Number EC50: Effect Concentration 50% IARC: International Agency for Research on Cancer LC50: Lethal Concentration 50% LD50: Lethal Dose 50% N/A: Denotes no applicable information found or available OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit



### 16. OTHER INFORMATION

TLV: Threshold Limit Value TSCA: Toxic Substance Control Act

Revision Date: April 10, 2015 Replaces: February 9, 2015 Changes made: Updated to GHS Classification.

### Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

#### Prepared By:

EnviroNet LLC.

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Badger Fire Protection assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.